

	Type	Hits	Search Text	DBs
1	BRS	7386	pressure and (gauge gage).ti.	USPAT; US-PGPUB; DERWENT
2	BRS	48	(pressure and (gauge gage).ti.) and pointers	USPAT; US-PGPUB; DERWENT
3	BRS	3	(pressure and (gauge gage).ti.) and first adj pointer	USPAT; US-PGPUB; DERWENT
4	BRS	188	(pressure and (gauge gage).ti.) and (pointers indicators)	USPAT; US-PGPUB; DERWENT
5	BRS	7	((pressure and (gauge gage).ti.) and pointers) and differential near2 pressure	USPAT; US-PGPUB; DERWENT
6	BRS	18	((pressure and (gauge gage).ti.) and (pointers indicators)) and differential near2 pressure	USPAT; US-PGPUB; DERWENT
7	BRS	148	asperities and cmp and pressure and flow	USPAT; US-PGPUB; DERWENT
8	BRS	118	(asperities and cmp and pressure and flow) and temperature	USPAT; US-PGPUB; DERWENT
9	BRS	7	(asperities and cmp and pressure and flow) and (detect\$3 sens\$3) near3 temperature	USPAT; US-PGPUB; DERWENT
10	IS&R	1	("6575026").PN.	USPAT
11	BRS	0	sensor near moduled.ti.	USPAT; US-PGPUB; DERWENT
12	BRS	548	sensor near module.ti.	USPAT; US-PGPUB; DERWENT
13	BRS	1	(sensor near module.ti.) and flex\$3 near2 (housing cas\$3)	USPAT; US-PGPUB; DERWENT
14	BRS	0	(sensor near module.ti.) and flex\$3 adj (housing cas\$3)	USPAT; US-PGPUB; DERWENT
15	BRS	2	(sensor near module.ti.) and (resilient flex\$3 deform\$3 stretch\$3) near3 (housing cas\$3)	USPAT; US-PGPUB; DERWENT
16	BRS	0	((sensor near module.ti.) and (resilient flex\$3 deform\$3 stretch\$3) near3 (housing cas\$3)) and coil	USPAT; US-PGPUB; DERWENT
17	BRS	16	(sensor near module.ti.) and wireless	USPAT; US-PGPUB; DERWENT
18	BRS	3	((sensor near module.ti.) and wireless) and (sens\$3 measur\$3 detect\$3) near3 pressure	USPAT; US-PGPUB; DERWENT
19	BRS	9	(sensor near module.ti.) and tire	USPAT; US-PGPUB; DERWENT

	Time Stamp	Comments	Error Definition	Errors
1	2004/09/15 10:08			0
2	2004/09/13 09:49			0
3	2004/09/13 09:49			0
4	2004/09/13 09:50			0
5	2004/09/13 09:51			0
6	2004/09/13 09:56			0
7	2004/09/15 10:09			0
8	2004/09/15 10:12			0
9	2004/09/15 11:17			0
10	2004/09/15 11:55			0
11	2004/09/15 11:55			0
12	2004/09/15 13:24			0
13	2004/09/15 13:47			0
14	2004/09/15 13:26			0
15	2004/09/15 13:47			0
16	2004/09/15 13:32			0
17	2004/09/15 13:46			0
18	2004/09/15 14:32			0
19	2004/09/15 13:45			0

	Type	Hits	Search Text	DBs
20	BRS	1129	pressure and sensor and module.ti.	USPAT; US-PGPUB; DERWENT
21	BRS	5	(pressure and sensor and module.ti.) and flex\$3 near2 (housing cas\$3)	USPAT; US-PGPUB; DERWENT
22	BRS	21	(pressure and sensor and module.ti.) and (resilient flex\$3 deform\$3 stretch\$3) near3 (housing cas\$3)	USPAT; US-PGPUB; DERWENT
23	IS&R	1	("6791072").PN.	USPAT
24	IS&R	1	("5,635,691").PN.	USPAT
25	BRS	7	sensor near flex\$3 near3 housing	USPAT; US-PGPUB; DERWENT
26	BRS	425	sensor and flex\$3 near3 housing	USPAT; US-PGPUB; DERWENT
27	BRS	49	(sensor and flex\$3 near3 housing) and wireless	USPAT; US-PGPUB; DERWENT
28	BRS	57	(pressure and sensor and (resilient stretch flex\$3) near3 housing) and wireless	USPAT; US-PGPUB; DERWENT
29	BRS	843	pressure and sensor and (resilient stretch flex\$3) near3 housing	USPAT; US-PGPUB; DERWENT
30	BRS	36516	pressure and sensor.ti.	USPAT; US-PGPUB; DERWENT
31	BRS	79	(pressure and sensor.ti.) and (resilient stretch flex\$3) near3 housing	USPAT; US-PGPUB; DERWENT
32	BRS	410	(resilient stretch flex\$3) and module and sensor.ti.	USPAT; US-PGPUB; DERWENT
33	BRS	249	flex\$3 and module and sensor.ti.	USPAT; US-PGPUB; DERWENT
34	BRS	36531	pressure and sensor.ti.	USPAT; US-PGPUB; DERWENT
35	BRS	15	(pressure and sensor.ti.) and flex\$3 near2 housing	USPAT; US-PGPUB; DERWENT
36	BRS	433	foil and pressure and sensor and wireless	USPAT; US-PGPUB; DERWENT
37	BRS	139	(foil and pressure and sensor and wireless) and coil	USPAT; US-PGPUB; DERWENT
38	BRS	95	((pressure and sensor.ti.) and foil) and coil	USPAT; US-PGPUB; DERWENT
39	BRS	22	((((pressure and sensor.ti.) and foil) and coil) and flex\$3	USPAT; US-PGPUB; DERWENT
40	BRS	0	((((pressure and sensor.ti.) and foil) and coil) and flex\$3 adj cover	USPAT; US-PGPUB; DERWENT
41	BRS	0	((pressure and sensor.ti.) and foil) and flex\$3 adj cover	USPAT; US-PGPUB; DERWENT

	Time Stamp	Comments	Error Definition	Errors
20	2004/09/15 13:46			0
21	2004/09/15 13:47			0
22	2004/09/15 13:47			0
23	2004/09/15 13:59			0
24	2004/09/15 13:59			0
25	2004/09/15 14:33			0
26	2004/09/15 14:33			0
27	2004/09/15 15:58			0
28	2004/09/15 16:03			0
29	2004/09/15 16:21			0
30	2004/09/15 16:21			0
31	2004/09/15 16:27			0
32	2004/09/15 16:30			0
33	2004/09/15 16:30			0
34	2004/09/16 11:12			0
35	2004/09/16 13:17			0
36	2004/09/16 13:18			0
37	2004/09/16 13:18			0
38	2004/09/16 13:31			0
39	2004/09/16 13:33			0
40	2004/09/16 13:33			0
41	2004/09/16 13:43			0

	Type	Hits	Search Text	DBs
42	BRS	2	(sensor and tire and vulcanized) and flex\$3 and wireless	USPAT; US-PGPUB; DERWENT
43	BRS	221	sensor and tire and vulcanized	USPAT; US-PGPUB; DERWENT
44	BRS	254	flex\$3 adj housing	USPAT; US-PGPUB; DERWENT
45	BRS	2	(flex\$3 adj housing) and pressure and sensor.ti.	USPAT; US-PGPUB; DERWENT
46	BRS	9194	thin and film and sensor.ti.	USPAT; US-PGPUB; DERWENT
47	BRS	0	(thin and film and sensor.ti.) and flex\$3 adj housing	USPAT; US-PGPUB; DERWENT
48	BRS	2	(thin and film and sensor.ti.) and flex\$3 near2 housing	USPAT; US-PGPUB; DERWENT
49	BRS	131	(thin and film and sensor.ti.) and wireless	USPAT; US-PGPUB; DERWENT
50	BRS	747	(pressure and sensor.ti.) and foil	USPAT; US-PGPUB; DERWENT

	Time Stamp	Comments	Error Definition	Errors
42	2004/09/16 13:43			0
43	2004/09/16 14:21			0
44	2004/09/16 14:23			0
45	2004/09/16 14:22			0
46	2004/09/16 14:23			0
47	2004/09/16 14:23			0
48	2004/09/16 14:24			0
49	2004/09/16 14:24			0
50	2004/09/17 09:07			0